



## SAFETY DATA SHEET

### 1. PRODUCT IDENTIFICATION

**Name of product:** **SUPER VALKARN G**

**Manufacture Information:** MARUNI INDUSTRY CO., LTD.  
11-1 Shariji 3-chome, Ikuno-ku, Osaka Japan 544-0022  
Phone +81-6-6716-4171

**Emergency advice:** Phone +81-6-6716-4171

**Recommended use(s):** Adhesive

---

### 2. Hazards Identification

#### GHS Classification

Acute toxicity(Inhalation: Vapours)	Category 4
Skin corrosion/irritation	Category 2
Eye corrosion/irritation	Category 2A
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity - Single exposure	Category 1(central nervous system) Category 3(drowsiness and dizziness, respiratory irritation)
Specific target organ toxicity - Repeated exposure	Category 1(central nervous system,liver)
Acute toxicity to the aquatic environment	Category 2
Chronic toxicity to the aquatic environment	Category 2

---

#### Label Elements

**Pictogram and Symbol :**



**Signal word :**

**Danger**



## SAFETY DATA SHEET

### Hazard statement :

H332	Harmful if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to organs.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Precautionary statements :

#### Prevention

P260	Do not breathe dust/fumes/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

#### Response

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
P312	Call a doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	IF skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P333+P313	IF skin irritation or a rash occurs: Get medical advice/attention.
P308+P313	IF exposed or concerned : Get medical advice/attention.
P308+P311	IF exposed or concerned: Call a doctor.



# Maruni

## SAFETY DATA SHEET

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

### Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### Disposal

P501 Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

## 3. Composition/ information on ingredients

**Chemical Identity** Solution of natural rubber in trichloroethylene

**Synonyms** - - -

**Chemical Formula** Mixture

CAS No.	Component Name	Percent
79-01-6	Trichloroethylene	92 - 97
Mixture	Natural rubber	4 - 6
1328-53-6	Phtalocyanine Green	0.1

## 4. First aid and Measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water, Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never make him/her vomit by force. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2)



## SAFETY DATA SHEET

and/or in section 11.

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

## **5. Fire-fighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides, Hydrogen chloride gas

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4 Further information**

No data available

---

## **6. Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Endure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **7. Handling and storage**

### **7.1 Precautions for safe handling**



## SAFETY DATA SHEET

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Handle and store under inert gas.

Storage class(TRGS 510): Non-combustible, acute toxic Cat.3/ toxic hazardous materials or hazardous materials causing chronic effects.

---

## 8. Exposure controls/ Personal protection

### 8.1 Engineering measures

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Use adequate ventilation.

### 8.2 Ventilation

Local exhaust; recommended, mechanical(General) ; recommended

### 8.3 Control parameters

Component Name	ACGIH TLV-TWA	OSHA PEL-TWA
Trichloroethylene	10 ppm	100 ppm
Natural rubber	-	-
Phtalocyanine Green	-	-

### 8.4 Personal protection

Respiratory protection	Safety masks
Hand protection	Chemical resistance gloves
Eye protection	Safety glasses(goggles)
Skin protection	Protective clothing

---

## 9. Physical and Chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Green, liquid
b) Odour	Chloroform-like
c) Odour Threshold	No data available
d) pH	No data available



## SAFETY DATA SHEET

e) Melting point/freezing point	-85°C(trichloroethylene)
f) Initial boiling point and boiling range	87°C(trichloroethylene)
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper explosive limits	10.5vol%(trichloroethylene)
Lower explosive limits	8.0vol%(trichloroethylene)
k) Vapour pressure	7.8 kPa at 20°C(trichloroethylene)
l) Vapour density	No data available
m) Relative density	1.41 g/ml
n) Water solubility	No data available
o) Partition coefficient : n-octanol/water	log Pow = 2.42(trichloroethylene)
p) Auto-ignition temperature	410°C(trichloroethylene)
q) Decomposition temperature	No data available
r) Viscosity	7,000 - 9,000 mPa·s
s) Explosive properties	No data available
t) Oxidizing properties	No data available
u) Solvent concentration	92–97wt. %

---

### 10. Stability and reactivity

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Oxidizing agents, Strong bases, Magnesium

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire ; see section 5



---

**11. Toxicological information****11.1 Information on toxicological effects ; trichloroethylene****Acute toxicity**

LD50 Oral - Rat - 4,920mg/kg

LC50 Inhalation - Mouse - 4h - 8,450ppm

LD50 Dermal - Rabbit - &gt; 20,000mg/kg

**Skin corrosion/irritation**

Skin - Rabbit

Result : Severe skin irritation - 24 h

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result : Eye irritation - 24 h

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Laboratory experiments have shown mutagenic effects.

In vitro tests showed mutagenic effects

**Carcinogenicity**

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC : 1 - Group 1 : Carcinogenic to humans (Trichloroethylene)

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available



## SAFETY DATA SHEET

### 12. Ecological information

#### 12.1 Toxicity ; trichloroethylene

Toxicity to daphnia magna EC50 Daphnia magna (Crustacea) - 7.40 mg/l - 48h  
 BOD 2.4%(existing chemical safety inspections data)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

Does not bioaccumulate.

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels 0.1% or higher.

#### 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 13. Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

##### Contaminated packaging

Dispose of as unused product.

### 14. Transport information

#### 14.1 UN number

ADR/RID : 2810

IMDG : 2810

IATA : 2810

#### 14.2 UN proper shipping name

ADR/RID : TOXIC LIQUID, ORGANIC, N.O.S.

IMDG : TOXIC LIQUID, ORGANIC, N.O.S.



# Maruni

## SAFETY DATA SHEET

IATA : TOXIC LIQUID, ORGANIC, N.O.S.

### 14.3 Transport hazard class(es)

ADR/RID : 6.1

IMDG : 6.1

IATA : 6.1

### 14.4 Packaging group

ADR/RID : III

IMDG : III

IATA : III

### 14.5 Environmental hazards

ADR/RID : yes

IMDG Marine pollutant: yes

IATA : yes

### 14.6 Special precautions for user

No data available

---

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Authorisations and/or restrictions on use

Trichloroethylene CAS No. 79-01-6

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59)

Carcinogenic (Article 57a)

ED/30/2010

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

## 16. Other information

**NOTICE:** MARUNI INDUSTRY CO., LTD. believes that information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements.

**NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE OR OTHERWISE.**

Maruni Industry Co., Ltd

Date: June 12, 2024

---

Technical Division